


12U.3e20-100S-e2UA 8\1

5080946108417



raus9-2001-0596.US1 8\S






FIG. 3








FIG. 6

**ENTER** FIG. 7 PROVIDE A PROCESS WHEREIN THE HOST OF A WEB DATABASE SOURCE MAY ENABLE THE RECEIVING USER OR SERVICE PROVIDER TO SEGMENT A DATA CONTENT ENTITY TRANSMITTED FROM SAID SOURCE INTO A SEQUENTIAL STRING OF SEGMENTS PROVIDE A ROUTINE LIMITING THE DATA CAPACITY OF EACH OF THE SEGMENTS IN EACH STRING SO THAT THE CAPACITY OF - 82 EACH SEGMENT IS LIMITED BY PREDEFINED DIMENSIONS OF THE RECEIVING USER INTERFACE PROVIDE A PROCESS WHEREIN THE HOST OF A WEB DATABASE MAY SEGMENT THE DATA CONTENT ENTITY INTO A DEFAULT - 83 SEQUENTIAL STRING OF SEGMENTS LIMITED BY DEFAULT DIMENSIONS OF A RECEIVING USER INTERFACE PROVIDE A PROCESS WHEREIN THE WEB SERVICE PROVIDER FOR SAID RECEIVING USER MAY MODIFY THE DEFAULT SEQUENCE AND/OR THE DEFAULT DIMENSIONS OF SAID STRING OF SEGMENTS BASED UPON SPECIAL RECEIVING USER NEEDS OR ATTRIBUTES PROVIDE A PROCESS WHEREIN A WEB BROWSER PROGRAM ASSOCIATED WITH SAID RECEIVING USER MAY MODIFY THE DEFAULT - 85 SEQUENCE AND/OR THE DEFAULT DIMENSIONS OF SAID STRING OF SEGMENTS BASED UPON THE SPECIAL RECEIVING USER NEEDS OR ATTRIBUTES PROVIDE A PROCESS WHEREIN THE RECEIVING USER MAY SELECTIVELY INTERACTIVELY MODIFY THE DEFAULT SEQUENCE AND/OR - 86 THE DEFAULT DIMENSIONS OF SAID STRING OF SEGMENTS PROVIDE A PROCESS WHEREIN A PLURALITY OF SAID STRINGS OF SEGMENTS ARE PRESENTED TO SAID RECEIVING USER VIA 87 SAID INTERFACE PROVIDE A ROUTINE WHEREBY SAID RECEIVING USER IS ENABLED TO INTERACTIVELY SELECT ONE STRING OF SEGMENTS TO BE 88 SEQUENTIALLY DISPLAYED THROUGH SAID INTERFACE **EXIT** 

